

For More Questions [Click Here](#)

Which of the following is not considered a part of the male urethra?

Prostatic

Membranous

Vasapore

Penile

Answer: c

When glucose is found in urine it is called _____.

Glucosuria

Uremia

Ureteritis

Glucose intolerance

Answer: a

Which of the following is not considered a component of kidney stones?

Calcium phosphate

Uric Acid

Calcium oxalate

HCO₃

Answer: d

The one of the functions occurring at the distal convoluted tubule in the kidney is?

Passive secretion of hydrogen ions

Passive secretion of potassium ions

Limited re-absorption of water

No re-absorption of sodium

Answer: b

ADH has which of the following effects on the distal convoluted tubule?

- Decrease water re-absorption
- Increase water re-absorption
- Decrease the concentration of urine
- Increase the urine volume

Answer: b

Which of the following is not associated with the role of the kidneys?

- Release of erythropoietin (hormone)
- Release of renin (enzyme)
- Release of Vitamin E
- Activate Vitamin D

Answer: c

Each kidney contains approximately _____ nephrons.

- 10 million
- 1 million
- 100, 000
- 10, 000

Answer: b

The release of Angiotension II causes which of the following to occur?

- Increased filtration rate
- Decreased glomerular hydrostatic pressure
- Increase synthesis of Vitamin E
- Increased release of erythropoietin

Answer: a

Which of the following is an effect of a diuretic?

Decreased Cardiac Output

Increased fluid volume

Increased sodium re-absorption

Increased chloride ion re-absorption

Answer: a